INDEX TO VOLUME 59

Author Index

Abdul-Hussain, S., and E. Varriano-Marston. Amylolysis of pearl millet starch and its fractions by pearl millet alpha-amylase, 351
Aguilera, J. M. *See* C. DeFouw, 229, 245
Aldis, D. F. *See* L. M. Seitz, 9
Altosaar, I. *See* G. J. Matlashewski, 418
Anderson, R. A. Water absorption and solubility and amylograph characteristics of roll-cooked small grain products, 265
_____. *See* S. R. Eckhoff, 289
Andrews, L. C. *See* W. T. Yamazaki, 41, 270

Baianu, I. C. *See* J. D. Schofield, 240
Bains, G. S. *See* K. Swaranjeet, 367
Baker, K. *See* R. A. Perez. 205
Bakhoum, M. T., and J. G. Ponte, Jr. Combined effects of sodium chloride and hydrochloric acid on wheat flour strength, 37
Baten, M. A. *See* M. R. Molina, 34
Bates, L. S. *See* R. Peña, 454, 459
Bean, M. M. *See* K. D. Nishita, 46
Bechtel, D. B., R. L. Gaines, and Y. Pomeranz. Protein secretion in wheat endosperm—formation of the matrix protein, 336
_____. *See* B. Fretzdorff, 113
Beguin, D. *See* P. L. Finney, 520
Betschart, A. A. *See* S. T. Omaye, 440
Bhatty, R. S. Distribution of lipids in embryo and bran-endosperm fractions of Riso 1508 and Hiproly barley grains, 154
Birth, G. S., and H. H. Ramey, Jr. Near-infrared reflectance for analysis of cottonseed for gossypol, 516
Biston, R., and G. Clamot. Use of near-infrared reflectance spectroscopy and dye-binding techniques for estimating protein in oat groats, 333
Black, H. C. *See* R. H. Kilborn, 284
Black, L. T. *See* S. R. Eckhoff, 289
Bock, M. A. *See* G. S. Ranhotra, 493
Bohnsack, K. *See* T. P. Labuza, 142
Bookwalter, G. N. *See* K. Warner, 175
Booth, G. D. *See* P. R. Mathewson, 108
Boulet, M. *See* J. Gaucher-Choquette, 435
Bradbury, J. H., and J. G. Collins. Lipids of the major histological components of rice studied by ^{13}C nuclear magnetic resonance spectroscopy, 159
Brassard, R. *See* R. Mongeau, 413
Bressani, R. *See* M. R. Molina, 34
Bruinsma, B. L., and K. F. Finney. A gas production formula containing guar or xanthan gum in place of wheat flour, 402
_____. *See* K. F. Finney, 385

Cagampang, G. B., J. E. Griffith, and A. W. Kirleis. Modified adhesion test for measuring stickiness of sorghum porridges, 234
Chikubu, S. *See* T. Iwasaki, 192
Chow, F. I. *See* S. T. Omaye, 440
Chung, O. K., and B. L. D'Appolonia. Characterization and gelling capacity of water-soluble pentosans isolated from different mill streams, 163
_____, and _____. Characterization of pentosans from different wheat flour classes and of their gelling capacity, 96
_____, and _____. Reconstitution studies with sound and sprouted wheat flour, 77
_____, Y. Pomeranz, and K. F. Finney. Relation of polar lipid content to mixing requirement and loaf volume potential of hard red winter wheat flour, 14
_____. *See* B. L. D'Appolonia, 254
_____. *See* K. F. Finney, 385
Clamot, G. *See* R. Biston, 333
Clements, R. L., and J. R. Donelson. Role of free flour lipids in batter expansion in layer cakes. I. Effects of "aging," 121
_____, and _____. Role of free flour lipids in batter expansion in layer cakes. II. Effects of heating, 125
Cluskey, J. E. *See* C. A. Knutson, 512
Collins, J. G. *See* J. H. Bradbury, 159
Colman, N. Communication to the editor, 236
Cornforth, D. *See* S. S. Deshpande, 396

Daniel, J. R., and R. L. Whistler. Sweetness-structure correlation in carbohydrates, 92
Danno, G., and R. C. Hoseney. Changes in flour proteins during dough mixing, 249
_____, and _____. Effects of sodium chloride and sodium dodecyl sulfate on mixograph properties, 202
_____, and _____. Effects of dough mixing and rheologically active compounds on relative viscosity of wheat proteins, 196
D'Appolonia, B. L., L. A. MacArthur, W. Pisesookbunterng, and C. F. Ciacco. Comparison of the grain amylase analyzer with the amylograph and falling number methods, 254
_____. *See* C. F. Ciacco, 77, 96, 163
_____. *See* A. R. Wyland, 199
DeFouw, C., M. E. Zabik, M. A. Uebersax, J. M. Aguilera, and E. Lusas. Effects of heat treatment and level of navy bean hulls in sugar-snap cookies, 245
_____, _____, _____, _____, and _____. Use of unheated and heat-treated Navy hulls as a source of dietary fiber in spice-flavored layer cakes, 229
De Francisco, A., A. D. Shepherd, R. C. Hoseney, and E. Varriano-Marston. Decorticating pearl millet and grain sorghum in a laboratory abrasive mill, 1
_____, E. Varriano-Marston, and R. C. Hoseney. Hardness of pearl millet and grain sorghum, 5
Deshpande, S. S., S. K. Sathe, D. Cornforth, and D. K. Salunkhe. Effects of dehulling on functional properties of dry bean (*Phaseolus vulgaris* L.) flours, 396
Des Rosiers, M. C. *See* M. N. Khan, 279
Dexter, J. E., and R. R. Matsuo. Effect of smudge and blackpoint, mildewed kernels, and ergot on durum wheat quality, 63
_____, _____, and B. C. Morgan. Effects of processing conditions and cooking time on riboflavin, thiamine, and niacin levels in enriched spaghetti, 328
_____. *See* R. H. Kilborn, 284
_____. *See* R. R. Matsuo, 222, 468
Dikeman, E., Y. Pomeranz, and F. S. Lai. Minerals and protein contents in hard red winter wheat, 139
Doekes, G. J., and L. M. J. Wennekes. Effect of nitrogen fertilization on quantity and composition of wheat flour protein, 276
Doherty, C. A., J. M. Faubion, and L. W. Rooney. Semiautomated determination of phytate in sorghum and sorghum products, 373
_____. *See* D. H. Hahn, 132
Donelson, J. R. *See* R. L. Clements, 121, 125
_____. *See* C. S. Gaines, 237, 378
Donnelly, B. J. *See* M. M. Tabekhia, 105
Dreese, P. C., and R. C. Hoseney. Baking properties of the bran fraction from brewer's spent grains, 89
Dryer, S. B., S. G. Phillips, T. S. Powell, M. A. Uebersax, and M. E. Zabik. Dry roasted navy bean flour incorporation in a quick bread, 319
Dunaway, J. A. *See* E. Varriano-Marston, 151

Eckhoff, S. R., L. T. Black, and R. A. Anderson. Predicting the moisture isotherm for corn-soy milk from individual component moisture isotherms and their possible effects on storage stability, 289
Ellis, R., and E. R. Morris. Comparison of ion-exchange and iron precipitation methods for analysis of phytate, 232
Erdman, J. W., Jr. *See* D. B. Thompson, 525
Esen, A. Chromatography of zein on phosphocellulose and sulfopropyl sephadex, 272

Fahrenholz, C. H. *See* P. R. Mathewson, 108, 156
Faridi, H. A. *See* G. L. Rubenthaler, 72
Faubion, J. M., and R. C. Hoseney. High-temperature short-time extrusion cooking of wheat starch and flour. I. Effect of moisture and flour type on extrudate properties, 529
_____, and _____. High-temperature short-time extrusion cooking of wheat starch and flour. II. Effect of protein and lipid on extrudate properties, 533
_____. *See* C. Doherty, 373

INDEX TO VOLUME 59

Author Index

Abdul-Hussain, S., and E. Varriano-Marston. Amylolysis of pearl millet starch and its fractions by pearl millet alpha-amylase, 351
Aguilera, J. M. *See* C. DeFouw, 229, 245
Aldis, D. F. *See* L. M. Seitz, 9
Altosaar, I. *See* G. J. Matlashewski, 418
Anderson, R. A. Water absorption and solubility and amylograph characteristics of roll-cooked small grain products, 265
_____. *See* S. R. Eckhoff, 289
Andrews, L. C. *See* W. T. Yamazaki, 41, 270

Baianu, I. C. *See* J. D. Schofield, 240
Bains, G. S. *See* K. Swaranjeet, 367
Baker, K. *See* R. A. Perez. 205
Bakhoum, M. T., and J. G. Ponte, Jr. Combined effects of sodium chloride and hydrochloric acid on wheat flour strength, 37
Baten, M. A. *See* M. R. Molina, 34
Bates, L. S. *See* R. Peña, 454, 459
Bean, M. M. *See* K. D. Nishita, 46
Bechtel, D. B., R. L. Gaines, and Y. Pomeranz. Protein secretion in wheat endosperm—formation of the matrix protein, 336
_____. *See* B. Fretzdorff, 113
Beguin, D. *See* P. L. Finney, 520
Betschart, A. A. *See* S. T. Omaye, 440
Bhatty, R. S. Distribution of lipids in embryo and bran-endosperm fractions of Riso 1508 and Hiproly barley grains, 154
Birth, G. S., and H. H. Ramey, Jr. Near-infrared reflectance for analysis of cottonseed for gossypol, 516
Biston, R., and G. Clamot. Use of near-infrared reflectance spectroscopy and dye-binding techniques for estimating protein in oat groats, 333
Black, H. C. *See* R. H. Kilborn, 284
Black, L. T. *See* S. R. Eckhoff, 289
Bock, M. A. *See* G. S. Ranhotra, 493
Bohnsack, K. *See* T. P. Labuza, 142
Bookwalter, G. N. *See* K. Warner, 175
Booth, G. D. *See* P. R. Mathewson, 108
Boulet, M. *See* J. Gaucher-Choquette, 435
Bradbury, J. H., and J. G. Collins. Lipids of the major histological components of rice studied by ^{13}C nuclear magnetic resonance spectroscopy, 159
Brassard, R. *See* R. Mongeau, 413
Bressani, R. *See* M. R. Molina, 34
Bruinsma, B. L., and K. F. Finney. A gas production formula containing guar or xanthan gum in place of wheat flour, 402
_____. *See* K. F. Finney, 385

Cagampang, G. B., J. E. Griffith, and A. W. Kirleis. Modified adhesion test for measuring stickiness of sorghum porridges, 234
Chikubu, S. *See* T. Iwasaki, 192
Chow, F. I. *See* S. T. Omaye, 440
Chung, O. K., and B. L. D'Appolonia. Characterization and gelling capacity of water-soluble pentosans isolated from different mill streams, 163
_____, and _____. Characterization of pentosans from different wheat flour classes and of their gelling capacity, 96
_____, and _____. Reconstitution studies with sound and sprouted wheat flour, 77
_____, Y. Pomeranz, and K. F. Finney. Relation of polar lipid content to mixing requirement and loaf volume potential of hard red winter wheat flour, 14
_____. *See* B. L. D'Appolonia, 254
_____. *See* K. F. Finney, 385
Clamot, G. *See* R. Biston, 333
Clements, R. L., and J. R. Donelson. Role of free flour lipids in batter expansion in layer cakes. I. Effects of "aging," 121
_____, and _____. Role of free flour lipids in batter expansion in layer cakes. II. Effects of heating, 125
Cluskey, J. E. *See* C. A. Knutson, 512
Collins, J. G. *See* J. H. Bradbury, 159
Colman, N. Communication to the editor, 236
Cornforth, D. *See* S. S. Deshpande, 396

Daniel, J. R., and R. L. Whistler. Sweetness-structure correlation in carbohydrates, 92
Danno, G., and R. C. Hoseney. Changes in flour proteins during dough mixing, 249
_____, and _____. Effects of sodium chloride and sodium dodecyl sulfate on mixograph properties, 202
_____, and _____. Effects of dough mixing and rheologically active compounds on relative viscosity of wheat proteins, 196
D'Appolonia, B. L., L. A. MacArthur, W. Pisesookbunterng, and C. F. Ciacco. Comparison of the grain amylase analyzer with the amylograph and falling number methods, 254
_____. *See* C. F. Ciacco, 77, 96, 163
_____. *See* A. R. Wyland, 199
DeFouw, C., M. E. Zabik, M. A. Uebersax, J. M. Aguilera, and E. Lusas. Effects of heat treatment and level of navy bean hulls in sugar-snap cookies, 245
_____, _____, _____, _____, and _____. Use of unheated and heat-treated Navy hulls as a source of dietary fiber in spice-flavored layer cakes, 229
De Francisco, A., A. D. Shepherd, R. C. Hoseney, and E. Varriano-Marston. Decorticating pearl millet and grain sorghum in a laboratory abrasive mill, 1
_____, E. Varriano-Marston, and R. C. Hoseney. Hardness of pearl millet and grain sorghum, 5
Deshpande, S. S., S. K. Sathe, D. Cornforth, and D. K. Salunkhe. Effects of dehulling on functional properties of dry bean (*Phaseolus vulgaris* L.) flours, 396
Des Rosiers, M. C. *See* M. N. Khan, 279
Dexter, J. E., and R. R. Matsuo. Effect of smudge and blackpoint, mildewed kernels, and ergot on durum wheat quality, 63
_____, _____, and B. C. Morgan. Effects of processing conditions and cooking time on riboflavin, thiamine, and niacin levels in enriched spaghetti, 328
_____. *See* R. H. Kilborn, 284
_____. *See* R. R. Matsuo, 222, 468
Dikeman, E., Y. Pomeranz, and F. S. Lai. Minerals and protein contents in hard red winter wheat, 139
Doekes, G. J., and L. M. J. Wennekes. Effect of nitrogen fertilization on quantity and composition of wheat flour protein, 276
Doherty, C. A., J. M. Faubion, and L. W. Rooney. Semiautomated determination of phytate in sorghum and sorghum products, 373
_____. *See* D. H. Hahn, 132
Donelson, J. R. *See* R. L. Clements, 121, 125
_____. *See* C. S. Gaines, 237, 378
Donnelly, B. J. *See* M. M. Tabekhia, 105
Dreese, P. C., and R. C. Hoseney. Baking properties of the bran fraction from brewer's spent grains, 89
Dryer, S. B., S. G. Phillips, T. S. Powell, M. A. Uebersax, and M. E. Zabik. Dry roasted navy bean flour incorporation in a quick bread, 319
Dunaway, J. A. *See* E. Varriano-Marston, 151

Eckhoff, S. R., L. T. Black, and R. A. Anderson. Predicting the moisture isotherm for corn-soy milk from individual component moisture isotherms and their possible effects on storage stability, 289
Ellis, R., and E. R. Morris. Comparison of ion-exchange and iron precipitation methods for analysis of phytate, 232
Erdman, J. W., Jr. *See* D. B. Thompson, 525
Esen, A. Chromatography of zein on phosphocellulose and sulfopropyl sephadex, 272

Fahrenholz, C. H. *See* P. R. Mathewson, 108, 156
Faridi, H. A. *See* G. L. Rubenthaler, 72
Faubion, J. M., and R. C. Hoseney. High-temperature short-time extrusion cooking of wheat starch and flour. I. Effect of moisture and flour type on extrudate properties, 529
_____, and _____. High-temperature short-time extrusion cooking of wheat starch and flour. II. Effect of protein and lipid on extrudate properties, 533
_____. *See* C. Doherty, 373

_____. *See* D. H. Hahn, 132
Fields, M. L., R. C. Hoseney, and E. Varriano-Marston. Microbiology of cracker sponge fermentation, 23
Finn, J. W. *See* G. Huang, 496, 500
Finney, K. F., O. K. Chung, B. L. Bruinsma, and M. D. Shogren. Effect of type and amount of mixing and quantity of water on inhibitors of yeast activity in wheat flour doughs and slurries, 385
_____, B. L. Jones, and M. D. Shogren. Functional (breadmaking) properties of wheat protein fractions obtained by ultracentrifugation, 449
_____. *See* B. L. Bruinsma, 402
_____. *See* O. K. Chung, 14
_____. *See* B. L. Jones, 181
_____. *See* G. L. Lookhart, 69, 178
Finney, P. L., D. Beguin, and J. D. Hubbard. Effects of germination on bread-baking properties of mung bean (*Phaseolus aureus*) and garbanzo bean (*Cicer arietinum*), 520
_____. *See* D. L. Hsu, 344
Fretzdorff, B., D. B. Bechtel, and Y. Pomeranz. Freeze-fracture ultrastructure of wheat flour ingredients, dough, and bread, 113

Gaines, C. S. Influence of dough absorption level and time on stickiness and consistency in sugar-snap cookie doughs, 404
_____. Technique for objectively measuring a relationship between flour chlorination and cake crumb stickiness, 149
_____, and J. R. Donelson. Cake batter viscosity and expansion upon heating, 237
_____, and _____. Contribution of chlorinated flour fractions to cake crumb stickiness, 378
_____, and W. F. Kwolek. The influence of ambient temperature, humidity, and flour moisture content on stickiness and consistency in sugar-snap cookie doughs, 507
Gaines, R. L. *See* D. B. Bechtel, 336
Gaucher-Choquette, J., and M. Boulet. Effect of alkali treatment on viscosity and on the sulfhydryl and disulfide content of proteins, 435
Gelroth, J. A. *See* G. S. Ranhotra, 493
Ghiasi, K., R. C. Hoseney, and E. Varriano-Marston. Gelatinization of wheat starch. I. Excess-water systems, 81
_____, _____, and _____. Gelatinization of wheat starch. III. Comparison by differential scanning calorimetry and light microscopy, 258
_____, E. Varriano-Marston, and R. C. Hoseney. Gelatinization of wheat starch. II. Starch-surfactant interaction, 86
_____, _____, and _____. Gelatinization of wheat starch. IV. Amylograph viscosity, 262
Godon, B. *See* Y. Popineau, 55
Griffith, J. E. *See* G. B. Cagampang, 234
Grobe, C. A. *See* J. A. Rendleman, 310
Gudiel, H. *See* M. R. Molina, 34

Hagler, W. M. *See* W. E. Huff, 152
Hahn, D. H., J. M. Faubion, S. H. Ring, C. A. Doherty, and L. W. Rooney. Semiautomated in vitro analysis of sorghum protein availability via pronase hydrolysis, 132
Hall, S. B. *See* B. L. Jones, 181
_____. *See* G. L. Lookhart, 69, 178
Hamada, A. S., C. E. McDonald, and L. D. Sibbitt. Relationship of protein fractions of spring wheat flour to baking quality, 296
Hockridge, E. *See* K. Warner, 175
Honig, D. H. *See* K. Warner, 175
Hoseney, R. C. *See* G. Danno, 196, 202, 249
_____. *See* A. De Francisco, 1, 5
_____. *See* P. C. Dreese, 89
_____. *See* J. M. Faubion, 529, 533
_____. *See* M. L. Fields, 23
_____. *See* K. Ghiasi, 81, 86, 258, 262
_____. *See* C. C. Lee, 389, 392
_____. *See* D. W. Lillard, 291
_____. *See* R. D. Spies, 128
_____. *See* U. Tangkongchitr, 216
_____. *See* E. Varriano-Marston, 151
Howes, N. K., and F. G. Kosmolak. Purification and characterization of a specific gliadin component from the wheat cultivar Marquis, 485
Hsu, D. L., H. K. Leung, M. M. Morad, P. L. Finney, and C. T. Leung. Effect of germination on electrophoretic, functional, and bread-baking properties of yellow pea, lentil, and faba bean protein isolates, 344
Huang, G., J. W. Finn, and E. Varriano-Marston. Flour chlorination. I. Chlorine location and quantitation in air-classified fractions and physicochemical effects on starch, 496
_____, _____, and _____. Flour chlorination. II. Effects on water binding, 500
Hubbard, J. D., F. S. Lai, C. R. Martin, B. S. Miller, and Y. Pomeranz. Amino acid composition of grain dusts, 20
_____. *See* P. L. Finney, 520
Huff, W. E., and W. M. Hagler. Evaluation of density segregation as a means to estimate the degree of aflatoxin contamination of corn, 152
Hulan, H. W. *See* C. G. Zarkadas, 323

Inglett, G. E. *See* C. A. Knutson, 512
Iwasaki, T., N. Shibuya, T. Suzuki, and S. Chikubu. Gel filtration and electrophoresis of soluble rice proteins extracted from long, medium, and short grain varieties, 192

Jensen, S. A., L. Munck, and H. Martens. The botancial constituents of wheat and wheat milling fractions. I. Quantification by autofluorescence, 477
Jones, B. L., G. L. Lookhart, S. B. Hall, and K. F. Finney. Identification of wheat cultivars by gliadin electrophoresis: Electrophoregrams of the 88 wheat cultivars most commonly grown in the United States in 1979, 181
_____, and P. Meredith. Communiation to the editor: Inactivation of alpha-amylase activity by purothionins, 321
_____. *See* K. F. Finney, 449
_____. *See* G. L. Lookhart, 178

Khan, M. N., M. C. Des Rosiers, L. W. Rooney, R. G. Morgan, and V. E. Sweat. Corn tortillas: Evaluation of corn cooking procedures, 279
Khoo, U. *See* C. A. Knutson, 512
Kilborn, R. H., H. C. Black, J. E. Dexter, and D. G. Martin. Energy consumption during flour milling: Description of two measuring systems and the influence of wheat hardness on energy requirements, 284
_____, and K. R. Preston. A dough sheeting and molding property indicator, 171
_____, and _____. A modified extensigraph procedure for measuring the stretching properties of fermented dough, 381
Kim, M. N. *See* T. P. Labuza, 142
Kirleis, A. W. *See* G. B. Cagampang, 234
Kito, M. *See* K. Saio, 408
Knutson, C. A., U. Khoo, J. E. Cluskey, and G. E. Inglett. Variation in enzyme digestibility and gelatinization behavior of corn starch granule fractions, 512
Kobayakawa, K. *See* K. Saio, 408
Kosmolak, F. G. *See* N. K. Howes, 485
_____. *See* R. R. Matsuo, 222
Kruger, J. E., and B. A. Marchylo. High-performance aqueous ge permeation chromatographic analysis of beta-limit dextrin hydrolysis by malted hard red spring wheat, malted durum wheat, and fungal (*Aspergillus oryzae*) alpha-amylases, 488
_____, and R. R. Matsuo. Comparison of alpha-amylase and simple sugar levels in sound and germinated durum wheat during pasta processing and spaghetti cooking, 26
Kwolek, W. F. *See* C. S. Gaines, 507
_____. *See* K. Warner, 175

Labuza, T. P., K. Bohnsack, and M. N. Kim. Kinetics of protein quality change in egg noodles stored under constant and fluctuating temperatures, 142
Lai, F. S., and B. S. Miller. An inexpensive method for treating grain dust to prevent fine particles from becoming airborne during handling, 444
_____. *See* E. Dikeman, 139
_____. *See* J. D. Hubbard, 20
Lee, C. C., and R. C. Hoseney. Optimization of the fat-emulsified system and the gum-egg white-water system for a laboratory-scale single-stage cake mix, 392
_____, _____, and E. Varriano-Marston. Development of a laboratory scale single-stage cake mix, 389
Leisle, D. *See* R. R. Matsuo, 222
Leung, C. T. *See* D. L. Hsu, 344
Leung, H. K. *See* D. L. Hsu, 344
Lillard, D. W., P. A. Seib, and R. C. Hoseney. Isomeric ascorbic acids and derivatives of L-ascorbic acid: Their effect on the flow of dough, 291
Lillihoj, E. B., A. Manwiller, T. B. Whitaker, and M. S. Zuber. South Carolina corn yield trial samples as probes for the natural occurrence of aflatoxin in preharvest kernels, 136
Löliger, J. *See* A. Raemy, 189
Lookhart, G. L., S. B. Hall, and K. F. Finney. Determination of ascorbic acid in wheat flours, bread dough conditioners, and commercial vitamin C tablets by high-performance liquid chromatography, 69
_____, B. L. Jones, S. B. Hall, and K. F. Finney. An improved method for standardizing polyacrylamide gel electrophoresis of wheat gliadin proteins, 179

_____. *See* B. L. Jones, 181
Lusas, E. *See* C. DeFouw, 229, 245

MacArthur, L. A. *See* B. L. D'Appolonia, 254
MacGregor, A. W., and R. R. Matsuo. Starch degradation in endosperms of barley and wheat kernels during initial stages of germination, 210
_____. *See* R. R. Matsuo, 468
Maninder, K. *See* K. Swaranjeet, 367
Manwiller, A. *See* E. B. Lillihoj, 136
Marchylo, B. A. *See* J. E. Kruger, 488
Martens, H. *See* S. A. Jensen, 477
Martin, C. R. *See* J. D. Hubbard, 20
Martin, D. G. *See* R. H. Kilborn, 284
Mathewson, P. R., C. H. Fahrenholz, G. D. Booth, Y. Pomeranz, and B. S. Miller. Results of collaborative testing using a simplified, rapid colorimeter, alpha-amylase assay for evaluation of sprouted wheat, 108
_____, _____, and Y. Pomeranz. Applicability of the colorimetric alpha-amylase assay to evaluate sprouted sorghum, 156
Matlashewski, G. J., A. A. Urquhart, M. R. Sahasrabudhe, and I. Altosaar. Lipase activity in oat flour suspensions and soluble extracts, 418
Matsuo, R. R., J. E. Dexter, F. G. Kosmolak, and D. Leisle. Statistical evaluation of tests for assessing spaghetti-making quality of durum wheat, 222
_____, _____, and A. W. MacGregor. Effect of sprout damage on durum wheat and spaghetti quality, 468
_____. *See* J. E. Dexter, 63, 328
_____. *See* J. E. Kruger, 26
_____. *See* A. W. MacGregor, 210
Matthews, J. *See* J. I. Wadsworth, 50
McDonald, C. E. *See* A. S. Hamada, 296
McGuire, C. F. Near-infrared reflectance estimates of malt extract, 510
Meredith, P., and Y. Pomeranz. Inherent amylograph pasting ability of U.S. wheat flours and starches, 355
_____. *See* B. L. Jones, 321
Miller, B. S. *See* J. D. Hubbard, 20
_____. *See* F. S. Lai, 444
_____. *See* P. R. Mathewson, 108
Mod, R. R., R. L. Ory, N. M. Morris, and F. L. Normand. In vitro interaction of rice hemicellulose with trace minerals and their release by digestive enzymes, 538
Mohr, H. E. *See* L. M. Seitz, 9, 100
Molina, M. R., H. Gudiel, M. A. Baten, and R. Bressani. Production of high-moisture quality pasta products using a semolina/corn/soy flour mixture. III. Effect of cooking on the protein nutritive value of pasta, 34
Mongeau, R., and R. Brassard. Insoluble dietary fiber from breakfast cereals and brans: Bile salt binding and water-holding capacity in relation to particle size, 413
Morad, M. M. *See* D. L. Hsu, 344
Morgan, B. C. *See* J. E. Dexter, 328
Morgan, R. G. *See* M. N. Khan, 279
Morris, E. R. *See* R. Ellis, 232
Morris, N. M. *See* R. R. Mod, 538
Munck, L. *See* S. A. Jensen, 477

Nishita, K. D., and M. M. Bean. Grinding methods: Their impact on rice flour properties, 46
Normand, F. L. *See* R. R. Mod, 538
Norris, K. H. *See* P. C. Williams, 473
Novak, F. A. *See* G. S. Ranhotra, 493

Omaye, S. T., F. I. Chow, and A. A. Betschart. In vitro interaction of 1-^{14}C-ascorbic acid and 2-^{14}C-thiamin with dietary fiber, 440
Ory, R. L. *See* R. R. Mod, 538
Owusu-Ansah, J., F. R. Van de Voort, and D. W. Stanley. Determination of starch gelatinization by X-ray diffractometry, 167

Padua, G. W., and R. McL. Whitney. Application of the Instron Tester for investigation of rheology of corn dough, 361
Panchuk, P. D. *See* R. T. Tyler, 31
Parvathy, K., and S. Sadasivam. Comparison of amylase activity and carbohydrate profile in germinating seeds of *Setaria italica, Echinochloa frumentacea,* and *Panicum miliaceum*, 543
Peña, R., and L. S. Bates. Grain shrivelling in secondary hexaploid tritical. I. Alpha-amylase activity and carbohydrate content of mature and developing grains, 454
_____, and _____. Grain shrivelling in secondary triticale. II. Morphology of mature and developing grains related to grain shrivelling, 459
Perez, R. A., J. Tuite, and K. Baker. Effect of moisture, temperature, and storage time on subsequent storability of shelled corn, 205
Phillips, S. G. *See* S. B. Dryer, 319
Pisesookbunterng, W. *See* B. L. D'Appolonia, 254
Pomeranz, Y. *See* D. B. Bechtel, 336
_____. *See* O. K. Chung, 14
_____. *See* E. Dikeman, 139
_____. *See* B. Fretzdorff, 113
_____. *See* J. D. Hubbard, 20
_____. *See* P. R. Mathewson, 108, 156
_____. *See* P. Meredith, 355
Ponte, J. G., Jr. *See* M. T. Bakhoum, 37
Popineau, Y., and B. Godon. Surface hydrophobicity of gliadin components, 55
Powell, T. S. *See* S. B. Dryer, 319
Prentice, N. Purification of beta-glucanase for beta-D-glucan assays, 231
Preston, K. R. Gel filtration of wheat gluten proteins on Sephacryl S-300, 73
_____. *See* R. H. Kilborn, 171, 381
Proudfoot, F. G. *See* C. G. Zarkadas, 323

Rackis, J. J. *See* K. Warner, 175
Raemy, A., and J. Löliger. Thermal behavior of cereals studied by heat flow calorimetry, 189
Ramey, H. H., Jr. *See* G. S. Birth, 516
Ranhotra, G. S., J. A. Gelroth, F. A. Novak, M. A. Bock, and G. L. Winterringer. Digestibility of complex carbohydrates and protein in wheat breads, 493
_____, and G. L. Winterringer. The use of magnesium powder in fortified bread, 446
Rendleman, J. A. Cereal complexes: Binding of calcium by bran and components of bran, 302
_____, and Grobe, C. A. Cereal complexes: Binding of zinc by bran and components of bran, 310
Ring, S. H. *See* D. H. Hahn, 132
Rooney, L. W. *See* C. Doherty, 373
_____. *See* D. H. Hahn, 132
_____. *See* M. N. Khan, 279
Rubenthaler, G. L., and H. A. Faridi. Laboratory dough molder for flat breads, 72

Sadasivam, S. *See* K. Parvathy, 543
Sahasrabudhe, M. R. *See* G. J. Matlashewski, 418
Saio, K., K. Kobayakawa, and M. Kito. Protein denaturation during model storage studies of soybeans and meals, 408
Salimath, P. V., and R. N. Tharanathan. Carbohydrates of field bean (*Dolichos lablab*), 430
Salovaara, H. Effect of partial sodium chloride replacement by other salts on wheat dough rheology and breadmaking, 422
_____. Sensory limitations to replacement of sodium with potassium and magnesium in bread, 427
Salunkhe, D. K. *See* S. S. Deshpande, 396
Sathe, S. K. *See* S. S. Deshpande, 396
Sauer, D. B. *See* L. M. Seitz, 9, 100
Schofield, J. D., and I. C. Baianu. Solid-state, cross-polarization magic-angle spinning carbon-13 nuclear magnetic resonance and biochemical characterization of wheat proteins, 240
Seib, P. A. *See* D. W. Lillard, 291
_____. *See* U. Tangkongchitr, 216
Seitz, L. M., D. B. Sauer, and H. E. Mohr. Storage of high-moisture corn: Fungal growth and dry matter loss, 100
_____, _____, _____, and D. F. Aldis. Fungal growth and dry matter loss during bin storage of high-moisture corn, 9
Shepherd, A. D. *See* A. De Francisco, 1
Shibuya, N. *See* T. Iwasaki, 192
Shogren, M. D. *See* K. F. Finney, 385, 449
Sibbitt, L. D. *See* A. S. Hamada, 296
Spadaro, J. J. *See* J. I. Wadsworth, 50
Spies, R. D., and R. C. Hoseney. Effect of sugars on starch gelatinization, 128
Stanley, D. W. *See* J. Owusu-Ansah, 167
Starkey, P. M. *See* P. C. Williams, 318
Suzuki, T. *See* T. Iwasaki, 192
Swaranjeet, K., K. Maninder, and G. S. Bains. *Chapaties* with leavening and supplements: Changes in texture, residual sugars, and phytic phosphorus, 367
Sweat, V. E. *See* M. N. Khan, 279

Tabekhia, M. M., and B. J. Donnelly. Phytic acid in durum wheat and its milled products, 105
Tangkongchitr, U., P. A. Seib, and R. C. Hoseney. Phytic acid. III. Two barriers to the loss of phytate during breadmaking, 216

Tharanathan, R. N. *See* P. V. Salimath, 430
Thompson, D. B., and J. W. Erdman, Jr. Structural model for ferric phytate: Implications for phytic acid analysis, 525
Tuite, J. *See* R. A. Perez, 205
Tyler, R. T., and B. D. Panchuk. Effect of seed moisture content on the air classification of field peas and faba beans, 31

Uebersax, M. A. *See* C. DeFouw, 229, 245
_____. *See* S. B. Dryer, 319
Urquhart, A. A. *See* G. J. Matlashewski, 418

Van de Voort, F. R. *See* J. Owusu-Ansah, 167
Varriano-Marston, E., R. C. Hoseney, and J. A. Dunaway. Alpha-amylase determination: Explanation for high falling numbers at lower bath temperatures, 151
_____. *See* S. Abdul-Hussain, 351
_____. *See* A. De Francisco, 1, 5
_____. *See* M. L. Fields, 23
_____. *See* K. Ghiasi, 81, 86, 258, 262
_____. *See* G. Huang, 496, 500
_____. *See* C. C. Lee, 389

Wadsworth, J. I., J. Matthews, and J. J. Spadaro. Milling performance and quality characteristics of Starbonnet variety rice fractionated by rough rice kernel thickness, 50
Warner, K., G. N. Bookwalter, J. J. Rackis, D. H. Honig, E. Hockridge, and W. F. Kwolek. Prevention of rancidity in experimental rat diets for long-term feeding, 175
Wennekes, L. M. J. *See* G. J. Doekes, 276
Whistler, R. L. *See* J. R. Daniel, 92
Whitaker, T. B. *See* E. B. Lillihoj, 136
Whitney, R. McL. *See* G. W. Padua, 361
Williams, P. C., K. H. Norris, and W. S. Zarowski. Influence of temperature on estimation of protein and moisture in wheat by near-infrared reflectance, 473
_____, and P. M. Starkey. A modification of the crude fiber test for application to flour, 318
Winterringer, G. L. *See* G. S. Ranhotra, 446, 493
Wyland, A. R., and B. L. D'Appolonia. Influence of drying temperature and farina blending on spaghetti quality, 199

Yamazaki, W. T., and L. C. Andrews. Experimental milling of soft wheat cultivars and breeding lines, 41
_____, and _____. Small-scale milling to estimate the milling quality of soft wheat cultivars and breeding lines, 270

Zabik, M. E. *See* C. DeFouw, 229, 245
_____. *See* S. B. Dryer, 319
Zarkadas, C. G., H. W. Hulan, and F. G. Proudfoot. A comparison of the amino acid composition of two commercial oat groats, 323
Zarowski, W. S. *See* P. C. Williams, 473
Zuber, M. S. *See* E. B. Lillihoj, 136

Subject Index

Pages of errata are in italics.

Acid
  hydrochloric; effect on dough properties (Bakhoum and Ponte), 37
Aflatoxin
  contamination of corn (Huff and Hagler), 152
  contamination of preharvest corn (Lillihoj et al), 136
  production in bin-stored corn, with relation to dry matter loss (Seitz et al), 9
  production in relation to dry matter loss and kernel damage during storage of high-moisture corn (Seitz et al), 100
Air classification
  of field peas and faba beans; effect of seed moisture content on (Tyler and Panchuk), 31
Alkali
  effect on protein viscosity and on sulfhydryl and disulfide (Gaucher-Choquette and Boulet), 435
Amino acids
  composition of grain dusts (Hubbard et al), 20
  composition of two commercial oat groats (Zarkadas et al), 323
  soluble rice proteins; comparison among varieties (Iwasaki et al), 192
α-Amylase
  barley malt supplement in leavened *chapaties* (Swaranjeet et al), 367
  colorimetric assay of in sorghum (Mathewson et al), 156
  effect of water-bath temperature on falling number values (Varriano-Marston et al), 151
  of field sprouted durum wheat (Matsuo et al), 468
  inhibition by purothionins; communication to the editor (Jones and Meredith), 321
  measurement in sprouted wheat (Mathewson et al), 108, *545*
  methods to measure in wheat and flour (D'Appolonia et al), 254
  from millet (Abdul-Hussain and Varriano-Marston), 351
  relationship to triticale grain shrivelling (Peña and Bates), 454
  in sound and germinated durum wheat during pasta processing and spaghetti cooking (Kruger and Matsuo), 26
  from wheat and fungal sources; hydrolysis of beta-limit dextrin (Kruger and Marchylo), 488
Amylograph
  factor affecting viscosity upon starch gelatinization (Ghiasi et al), 262
  pasting ability of wheat flours and starches (Meredith and Pomeranz), 355
Ascorbic acid
  determination in wheat flours, dough conditioners, and vitamin C tablets (Lookhart et al), 69
  dough flow (Lillard et al), 291
  interaction with dietary fiber (Omaye et al), 440
Autofluorescence, characteristics of individual wheat caryopsis tissues (Jensen et al), 477
Baking
  cake batter viscosity and expansion upon heating (Gaines and Donelson), 237
  cake; contribution of chlorinated flour fractions to cake crumb stickiness (Gaines and Donelson), 378
  cake; effect of flour aging on batter expansion (Clements and Donelson), 121
  cake; effect of heated flour lipids on batter expansion (Clements and Donelson), 125
  cake; relationship between flour chlorination rate and crumb stickiness (Gaines), 149
  chapaties, with leavening and supplements (Swaranjeet et al), 367
  cookies; factors affecting dough stickiness and consistency (Gaines and Kwolek), 507
  cookies; influence of dough absorption level and time on stickiness and consistency in sugar-snap doughs (Gaines), 404
  development of single-stage cake mix (Lee et al), 389
  protein fractions and bread baking (Hamada et al), 296
  quick bread; dry roasted navy bean flour incorporated in (Dryer et al), 319
  rheology of corn dough (Padua and McL. Whitney), 361
  of rice flour bread and cake (Nishita and Bean), 46, *236*
Barley
  endosperms; starch degradation (MacGregor and Matsuo), 210
  estimate of malt extract by NIR (McGuire), 510
  lipid distribution in (Bhatty), 154
  rheological properties of roll-cooked grits (Anderson), 265
Beta-glucanase
  purification for use in beta-D-glucan assays (Prentice), 231
Bioavailability
  of sorghum protein, relationship to kernel structure (Hahn et al), 132
Bran
  calcium binding properties; pH and component effects (Rendleman), 302
  insoluble dietary fiber from, bile salt binding and water-holding capacity related to particle size (Mongeau and Brassard), 413
  wheat; interactions with water-soluble vitamins (Omaye et al), 440

zinc binding properties; pH and component effects (Rendleman and Grobe), 310
Bread and bread making
L-ascorbic acid and isomeric ascorbic acids (Lillard et al), 291
changes in flour proteins during dough mixing (Danno and Hoseney), 249
effects of germination on mung and garbanzo bean properties (Finney et al), 520
effect of mixing and water on inhibitors of yeast activity in wheat flour doughs and slurries (Finney et al), 385
effect of partial sodium chloride replacement by other salts on dough rheology and breadmaking (Salovaara), 422
flat; dough molder for (Rubenthaler and Faridi), 72
fortified; magnesium powder in (Ranhotra and Winterringer), 446
glutenin and gliadin fractions in reconstituted wheat flours (Finney et al), 449
legume protein isolates in (Hsu et al), 344
loaf volume and mixing requirement vs. lipid content (Chung et al), 14, *158*
phytic acid loss during (Tangkongchitr et al), 216
replacement of sodium with potassium and magnesium, sensory limitations (Salovaara), 427
response to combined salt and acid (Bakhoum and Ponte), 37
with rice flour (Nishita and Bean), 46, *236*
ultrastructure of (Fretzdorff et al), 113
use of brewer's spent grain bran (Dreese and Hoseney), 89
wheat; carbohydrate and protein digestibility in (Ranhotra et al), 493
Brewer's spent grain
milling and use of bran in bread making (Dreese and Hoseney), 89
Cakes and cookies
cake batter viscosity and expansion upon heating (Gaines and Donelson), 237
cakes; contribution of chlorinated flour fractions to crumb stickiness (Gaines and Donelson), 378
cakes; development of laboratory scale single-stage mix (Lee et al), 389
cakes; effect of flour aging on batter expansion (Clements and Donelson), 121
cakes; effect of heated flour lipids on batter expansion (Clements and Donelson), 121
cakes; effect of sugars on starch gelatinization in (Spies and Hoseney), 128
cakes; navy bean hulls in spice-flavored (DeFouw et al), 229
cakes; optimization of laboratory-scale single-stage cake mix (Lee and Hoseney), 392
cakes; relationship between flour chlorination rate and cake crumb stickiness (Gaines), 149
cookies; effects of heat treatment and level of navy bean hulls in (DeFouw et al), 245
cookies; factors affecting dough stickiness and consistency (Gaines and Kwolek), 507
cookies; influence of dough absorption level and time on stickiness and consistency in sugar-snap doughs (Gaines), 404
Calcium
binding by bran and bran components (Rendleman), 302
Carbohydrates
digestibility of in wheat breads (Ranhotra et al), 493
of field bean (Salimath and Tharanathan), 430
impact on exothermic reaction of cereals and cereal products (Raemy and Löliger), 189
sweetness-structure correlation in (Daniel and Whistler), 92
Cereal
amylase activity compared to carbohydrate profile in germinating seeds of wheat, rice, and barley (Parvathy and Sadasivam), 543
insoluble dietary fiber from, bile salt binding and water-holding capacity related to particle size (Mongeau and Brassard), 413
phytate and total-P levels in sorghum and sorghum products (Doherty et al), 373
thermal behavior of, studied by heat flow calorimetry (Raemy and Löliger), 189
Cereal grains
sorghum protein in vitro analysis of availability (Hahn et al), 132
Chlorination
contribution of chlorinated flour fractions to cake crumb stickiness (Gaines and Donelson), 378
relationship between flour chlorination rate and cake crumb stickiness (Gaines), 149
Cooking
nutritive value of supplemented pasta as affected by (Molina et al), 34
Corn
detection and detoxification of aflatoxin contaminated (Huff and Hagler), 152
effect of moisture, temperature, and storage time on subsequent storability (Perez et al), 205
fungal growth, aflatoxin production, and dry matter loss during storage at high moisture (Seitz et al), 100
fungal growth and dry matter loss during bin storage (Seitz et al), 9
preharvest; aflatoxin contamination of kernels (Lillihoj et al), 136
tortillas; cooking procedures (Khan et al), 279
Cottonseed
NIR for gossypol (Birth and Ramey), 516
Crackers
microbiology of sponge (Fields et al), 23
Dehulling
effects on bean flour functionality (Deshpande et al), 396
Dietary fiber
calcium binding properties of wheat bran components (Rendleman), 302
zinc binding properties of wheat bran components (Rendleman and Grobe), 310
Differential scanning calorimetry
comparison with light microscopy for measuring starch gelatinization (Ghiasi et al), 258
Dough
ambient temperature, humidity, and flour moisture content influence on stickiness and consistency of cookie doughs (Gaines and Kwolek), 507
bread; magnesium powder in (Ranhotra and Winterringer), 446
changes in flour proteins during mixing (Danno and Hoseney), 249
corn-; rheological characterization of (Padua and McL. Whitney), 361
effect of salts on dough rheology (Salovaara), 422
flow of, effect of L-ascorbic acid and its isomers (Lillard et al), 291
influence of dough absorption level and time on stickiness and consistency in sugar-snap cookie doughs (Gaines), 404
instrument to measure sheeting and molding property (Kilborn and Preston), 171
laboratory molder for flat breads (Rubenthaler and Faridi), 72
mixing; effect of rheologically active compounds on relative viscosity of proteins (Danno and Hoseney), 196
mixing; effect of sodium chloride and sodium dodecyl sulfate (Danno and Hoseney), 202
mixing properties and protein fractions (Hamada et al), 296
ultrastructure of (Fretzdorff et al), 113
wheat flour; effect of mixing on effectiveness of antimicrobial and antimycotic agents (Finney et al), 385
Electrophoresis
effect of germination on legume protein isolates (Hsu et al), 344
of gliadins of U.S. wheats (Jones et al), 181
of glutenin and gliadin fractions (Finney et al), 449
of soluble rice proteins, comparison among long, medium, and short grain varieties (Iwasaki et al), 192
specific gliadin component from wheat (Howes and Kosmolak), 485
standardized method for wheat gliadins (Lookhart et al), 178
Enzymes
α-amylase activity, measurement in sprouted wheat (Mathewson et al), 108, *545*
α-amylase digestibility of corn starch granules (Knutson et al), 512
colorimetric α-amylase assay in sorghum (Mathewson et al), 156
digestive; interaction of rice hemicellulose with trace minerals and their release by (Mod et al), 538
high-performance aqueous gel permeation chromatographic analysis of beta-limit dextrin by alpha-amylases (Kruger and Marchylo), 488
lipolytic (Matlashewski et al), 418
from *Trichoderma reesei* for use in beta-D-glucan assays (Prentice), 231
Errata
Chung et al (Vol. 59, p. 19), 158
Nishita and Bean (Vol. 59, p. 47), 236
Paton et al (Vol. 58, p. 528), 158
Spies and Hoseney (Vol. 59, p. 108), 545
Extrusion cooking
HTST; moisture and flour type effect on extrudate properties of wheat starch and flour (Faubion and Hoseney), 529
HTST; protein and lipid effects on extrudate properties of wheat starch and flour (Faubion and Hoseney), 529
Falling number
effect of water-bath temperature (Varriano-Marston et al), 151
Fatty acids
distribution and type in histological components of rice (Bradbury and Collins), 159
Fermentation
chapaties, with leavening and supplements (Swaranjeet et al), 367
modified extensigraph procedure for measuring stretching properties of fermented dough (Kilborn and Preston), 381

yeast; in defined medium containing gums (Bruinsma and Finney), 402
Ferric phytate
structural model for, implications for phytic acid analysis (Thompson and Erdman), 525
Fiber
in commercially available oat groats (Zarkadas et al), 323
dietary; from cereals and brans, bile salt binding and water-holding capacity related to particle size (Mongeau and Brassard), 413
dietary; navy bean hulls as source of (DeFouw et al), 229
effects of heat treatment and level of navy bean hulls in sugar-snap cookies (DeFouw et al), 245
interactions with water-soluble vitamins (Omaye et al), 440
test for flour (Williams and Starkey), 318
Flour
brown rice from thin kernels (Wadsworth et al), 50
cake; contribution of chlorinated flour fractions to cake crumb stickiness (Gaines and Donelson), 378
chlorination; chlorine location and quantitation (Huang et al), 496
chlorination; water binding effects (Huang et al), 500
comparison of methods to measure α-amylase (D'Appolonia et al), 254
corn-, rheology of dough made from (Padua and McL. Whitney), 361
crude fiber test for (Williams and Starkey), 318
dough mixing; effect of sodium chloride and sodium dodecyl sulfate (Danno and Hoseney), 202
effect of aging on batter expansion in cakes (Clements and Donelson), 121
hard red winter wheat; loaf volume and mixing requirement vs. nonpolar lipids (Chung et al), 14, *158*
method for determining ascorbic acid in (Lookhart et al), 69
modified extensigraph procedure for measuring stretching properties of fermented dough (Kilborn and Preston), 381
protein fractions and bread-baking quality (Hamada et al), 296
quantification of botanical constituents by autofluorescence (Jensen et al), 477
relationship between flour chlorination rate and cake crumb stickiness (Gaines), 149
rice; grinding method impact on (Nishita and Bean), 46, *236*
sprouting effects using reconstitution studies (Ciacco and D'Appolonia), 77
wheat; amylograph pasting ability of (Meredith and Pomeranz), 355
wheat; characterization of pentosans from (Ciacco and D'Appolonia), 96
wheat; fraction of protein (Doekes and Wennekes), 276
wheat; gas production formula containing guar or xanthan gum in place of (Bruinsma and Finney), 402
wheat; HTST extrusion cooking for moisture and flour type effects on extrudate properties (Faubion and Hoseney), 529
wheat; HTST extrusion cooking protein and lipid effects on extrudate properties (Faubion and Hoseney), 533
Folate
stability in fortified foods; communication to the editor (Colman), 236
Gelatinization
starch; determination by X-ray diffraction (Owusu-Ansah et al), 167
Germination
effect on functional and bread-baking properties on legume proteins (Hsu et al), 344
levels of α-amylase and sugars in sound and germinated durum wheat during processing (Kruger and Matsuo), 26
Gliadin
carbon-13 NMR characterization and implications for conformational structure (Schofield and Baianu), 240
electrophoregrams of U.S. wheats (Jones et al), 181
extraction from wheat flour (Doekes and Wennekes), 276
purification of specific protein from wheat whole meal (Howes and Kosmolak), 485
surface hydrophobicity of (Popineau and Godon), 55
Gluten
gel filtration of wheat gluten proteins (Preston), 73
reconstitution of glutenin and gliadin fractions (Finney et al), 449
wheat; gel electrophoresis, gel filtration, and carbon-13 NMR characterization and implications for conformational structure and interactions of subunits (Schofield and Baianu), 240
Glutenin
carbon-13 NMR characterization and implications for conformational structure and nature of interactions between subunits (Schofield and Baianu), 240
residual protein after extraction of albumins plus globulins and gliadins (Doekes and Wennekes), 276
Grains
development of wheat caryopsis (Bechtel et al), 336
dust; amino acid composition of (Hubbard et al), 20
dust; treatment with oil to reduce dust emission during handling (Lai and Miller), 444
lipase activity in (Matlashewski et al), 418
oat groats, amino acid composition (Zarkadas et al), 323
Gum
guar or xanthan, to measure yeast activity (Bruinsma and Finney), 402
optimization of gum-egg white-water system for single-stage cake mixes (Lee and Hoseney), 392
Instructions to authors, iii
Instruments and instrumentation
extensigraph, for measuring stretching properties of fermented dough (Kilborn and Preston), 381
laboratory dough molder for flat breads (Rubenthaler and Faridi), 72
to measure dough sheeting and molding property (Kilborn and Preston), 171
measuring systems for energy consumption during flour milling (Kilborn et al), 284
modified adhesion test for measuring stickiness in sorghum porridges (Cagampang et al), 234
new instrument for measuring α-amylase activity in grain (Mathewson et al), 108, *545*
Legumes
beans; functional properties (Deshpande et al), 396
effects of heat treatment and level of navy bean hulls in sugar-snap cookies (DeFouw et al), 245
field peas and faba beans; air classification of (Tyler and Panchuk), 31
navy bean flours; incorporation in quick bread (Dryer et al), 319
protein isolates, use in breads (Hsu et al), 344
Lipase
activity in oat flour suspensions and soluble extracts (Matlashewski et al), 418
Lipids
distribution and type in histological components of rice (Bradbury and Collins), 159
distribution in barley grains (Bhatty), 154
effect of aging on batter expansion in cakes (Clements and Donelson), 121
effect of heated flour lipids on batter expansion in cakes (Clements and Donelson), 125
in wheat and flour, comparison with mixing requirement and loaf volume potential (Chung et al), 14, *158*
Methods
α-amylase determination in wheat and flour (D'Appolonia et al), 254
cake batter viscosity and expansion upon heating (Gaines and Donelson), 237
chromatography of zein on phosphocellulose and sulfopropyl sephadex (Esen), 272
cross-polarization, magic-angle spinning carbon-13 NMR in characterization of structure and interactions (Schofield and Baianu), 240
to determine phytate and total-P in sorghum (Doherty et al), 373
to determine phytate in wheat products and fecal samples (Ellis and Morris), 232
for determining ascorbic acid in wheat flours, dough conditioners, and vitamin C tablets (Lookhart et al), 69
for determining 4-hydroxyproline in oat groats (Zarkadas et al), 323
dough sheeting and molding property (Kilborn and Preston), 171
for estimating protein in oat groats (Biston and Clamot), 333
hydrophobic interaction chromatography for fractionation of gliadin components (Popineau and Godon), 55
Instron Tester for rheological characterization of corn dough (Padua and McL. Whitney), 361
NIR for analysis of cottonseed for gossypol (Birth and Ramey), 516
NIR as screening tool for malt extract estimates in sound barley (McGuire), 510
small-scale milling to estimate milling quality of soft wheat cultivars and breeding lines (Yamazaki and Andrews), 270
standardized PAGE of wheat gliadin proteins (Lookhart et al), 178
for treating grain dust to prevent dust emission during handling (Lai and Miller), 444
Microbiology
of cracker sponges (Fields et al), 23
Millet
pearl; amylolysis of by α-amylase (Abdul-Hussain and Varriano-Marston), 351
pearl; decortication of (De Francisco et al), 1
pearl; hardness of (De Francisco et al), 5
Milling
decortication of pearl millet and sorghum (De Francisco et al), 1
of durum wheat; phytic acid levels in (Tabekhia and Donnelly), 105

effect of smudge and blackpoint, mildewed kernels, and ergot in durum wheat (Dexter and Matsuo), 63
flour stream analysis (Ciacco and D'Appolonia), 163
impact milling of field peas and faba beans; effect of seed moisture on (Tyler and Panchuk), 31
measuring systems for energy consumption during flour milling (Kilborn et al), 284
particle size of wheat fiber (Mongeau and Brassard), 413
relationships between kernel thickness and milling quality, edible rice losses during (Wadsworth et al), 50
small-scale; to estimate milling quality of soft wheat cultivars and breeding lines (Yamazaki and Andrews), 270
of soft wheat (Yamazaki and Andrews), 41
Minerals
content of sodium, potassium, and magnesium in bread, partial replacement of sodium chloride (Salovaara), 427
in hard red winter wheat (Dikeman et al), 139
interaction with rice hemicellulose (Mod et al), 538
replacement of sodium with potassium, magnesium, or calcium in baking (Salovaara), 422
total, phytic, and nonphytic phosphorus in *chapaties* (Swaranjeet et al), 367
Moisture
effect on storability in corn (Perez et al), 205
Moisture isotherm
moisture migration pattern within corn, soy, and dry milk solids and its correlation to individual constituent isotherms (Eckhoff et al), 289
Nutrition
balancing of mineral content of bread, partial replacement of sodium with potassium and magnesium, sensory limitations (Salovaara), 427
enhancement of wheat flour breads with mung and garbanzo bean flours (Finney et al), 520
retention of riboflavin, thiamine, and niacin during processing and cooking of enriched spaghetti (Dexter et al), 328
Oats
amino acid composition (Zarkadas et al), 323
methods for estimating protein (Biston and Clamot), 333
rheological properties of roll-cooked grits (Anderson), 265
Pasta
assessment tests for durum wheat quality (Matsuo et al), 222
effect of cooking on nutritive value of supplemented (Molina et al), 34
effect of smudge and blackpoint, mildewed kernels, and ergot in durum wheat (Dexter and Matsuo), 63
high temperature drying (Wyland and D'Appolonia), 199
levels of α-amylase and sugars during processing (Kruger and Matsuo), 26
protein quality change in, temperature effect (Labuza et al), 142
retention of riboflavin, thiamine, and niacin during processing and cooking of enriched spaghetti (Dexter et al), 328
spaghetti-making quality; effect of sprout damage (Matsuo et al), 468
Pentosans
characterization of, from wheat flours (Ciacco and D'Appolonia), 96
characterization and gelling capacity of (Ciacco and D'Appolonia), 163
Phytic acid
barriers to loss in whole wheat bread (Tangkongchitr et al), 216
comparison of ion-exchange and iron precipitation methods (Ellis and Morris), 232
implications for analysis; structural model for ferric phytate (Thompson and Erdman), 525
location and environment effect on its presence in durum wheat varieties and mill fractions (Tabekhia and Donnelly), 105
in sorghum, method for determination (Doherty et al), 373
Protein
alkali treatment, effect on viscosity and on sulfhydryl and disulfide (Gaucher-Choquette and Boulet), 435
changes in flour protein during dough mixing (Danno and Hoseney), 249
denaturation during storage of soybeans (Saio et al), 408
digestibility of in wheat breads (Ranhotra et al), 493
effect of dough mixing on relative viscosity (Danno and Hoseney), 196
formation of wheat endosperm matrix protein (Bechtel et al), 336
fractions and bread-baking quality (Hamada et al), 296
functional glutenin and gliadin fractions (Finney et al), 449
in hard red winter wheat (Dikeman et al), 139
legumes; effect of germination on (Hsu et al), 344
methods for determination in oat groats (Biston and Clamot), 333
NIR testing in wheat; temperature influence (Williams et al), 473
purification, molecular weight, and isoelectric point of specific gliadin component from wheat (Howes and Kosmolak), 485
quality; in pasta, temperature effect on (Labuza et al), 142
semiautomated in vitro analysis of availability (Hahn et al), 132
soluble rice; gel filtration, electrophoresis, and amino acid patterns (Iwasaki et al), 192
wheat; gel electrophoresis, gel filtration, and carbon-13 NMR characterization and implications for structure and nature of interactions (Schofield and Baianu), 240
wheat flour; composition, effect of N-fertilization (Doekes and Wennekes), 276
Purothionins
inhibitors of wheat α-amylase; communication to the editor (Jones and Meredith), 321
Rheology
ambient temperature, humidity, and flour moisture content influence on stickiness and consistency of cookie doughs (Gaines and Kwolek), 507
cake batter viscosity and expansion upon heating (Gaines and Donelson), 237
characterization of corn dough as a Bingham plastic and measurement of its parameters (Padua and McL. Whitney), 361
effect of certain salts on wheat dough rheology (Salovaara), 422
influence of dough absorption level and time on stickiness and consistency in sugar-snap cookie doughs (Gaines), 404
properties of roll-cooked small grain products (Anderson), 265
Rice
hemicellulose; interaction with trace minerals (Mod et al), 538
lipids of, in histological components by ^{13}C NMR (Bradbury and Collins), 159
relationship between kernel thickness and quality, processing losses (Wadsworth et al), 50
soluble proteins; long, medium, and short grain varieties compared (Iwasaki et al), 192
Rye
relationship to triticale grain shrivelling (Peña and Bates), 454
rheological properties of roll-cooked grits (Anderson), 265
Salts
effect on wheat dough rheology and breadmaking (Salovaara), 422
potassium chloride and magnesium salts as sodium chloride replacements, sensory limitations (Salovaara), 427
Semolina
blending of farina and semolina, effect on spaghetti quality (Wyland and D'Appolonia), 199
effect of smudge and blackpoint, mildewed kernels, and ergot in durum wheat (Dexter and Matsuo), 63
Shortening
optimization of fat-emulsifier system for single-stage cake mixes (Lee and Hoseney), 392
Sodium chloride
effect on dough properties (Bakhoum and Ponte), 37
Sorghum
colorimetric determination of α-amylase (Mathewson et al), 156
decortication of (De Francisco et al), 1
hardness of (De Francisco et al), 5
in vitro analysis of protein availability (Hahn et al), 132
method for measuring phytate and total-P levels (Doherty et al), 373
porridges; adhesion test for measuring stickiness (Cagampang et al), 234
Soybeans
protein denaturation during storage (Saio et al), 408
Starch
amylograph viscosity (Ghiasi et al), 262
chlorine location and quantitation effects (Huang et al), 496
corn; enzyme digestibility, gelatinization of granule fractions (Knutson et al), 512
degradation in barley and wheat kernel endosperms (MacGregor and Matsuo), 210
determination of gelatinization (Owusu-Ansah et al), 167
effect of sugars on gelatinization temperature (Spies and Hoseney), 128
gelatinization; comparison of differential scanning calorimetry and light microscopy (Ghiasi et al), 258
gelatinization in flour (Huang et al), 500
interaction with surfactants (Ghiasi et al), 86
in vitro amylolytic digestibility and scanning electron microscopic studies (Salimath and Tharanathan), 430
millet-, amylolysis of by α-amylase (Abdul-Hussain and Varriano-Marston), 351
relationship to triticale grain shrivelling (Peña and Bates), 454
surfactant effect on gelatinization in excess water (Ghiasi et al), 81
wheat; amylograph pasting ability of (Meredith and Pomeranz), 355
wheat; HTST extrusion cooking for moisture and flour type effects on extrudate properties (Faubion and Hoseney), 529
wheat; HTST extrusion cooking for protein and lipid effects on extrudate properties (Faubion and Hoseney), 533
Storage

of corn in bins, fungal growth and dry matter loss (Seitz et al), 9
effect of moisture, temperature, and storage time on subsequent storability of corn (Perez et al), 205
of high-moisture corn; fungal growth, aflatoxin production, and dry matter loss (Seitz et al), 100
protein denaturation of soybeans (Saio et al), 408
of rat diets containing casein and/or soy protein (Warner et al), 175
stability; effects of moisture migration on (Eckhoff et al), 289
Sugar
effect on starch gelatinization (Spies and Hoseney), 128
levels in sound and germinating durum wheat during pasta processing and spaghetti cooking (Kruger and Matsuo), 26
Sulfhydryl
content in proteins, effect of alkali (Gaucher-Choquette and Boulet), 435
Surfactants
effects on swelling and solubility of wheat starch (Ghiasi et al), 81
in single-stage cake mixes (Lee et al), 389
interaction with starch (Ghiasi et al), 86
Sweetness
correlation with structure in carbohydrates (Daniel and Whistler), 92
Tortillas
evaluation of corn cooking procedures (Khan et al), 279
Triticale
grain shrivelling in secondary hexaploid, α-amylase activity and carbohydrate content (Peña and Bates), 454
grain shrivelling in secondary hexaploid, morphology of mature and developing grains (Peña and Bates), 459
Ultrastructure
freeze-fracture-, of wheat flour ingredients, dough, and bread (Fretzdorff et al), 113
wheat caryopsis development (Bechtel et al), 336
Viscosity
effect of dough mixing on protein (Danno and Hoseney), 196
factors affecting amylograph viscosity (Ghiasi et al), 262
Vitamins
retention of riboflavin, thiamine, and niacin during processing and cooking of enriched spaghetti (Dexter et al), 328
stability of folate in foods; communication to the editor (Colman), 236
Volatiles
penanal and hexanal formed during storage of rat diets (Warner et al), 175
Wheat
cultivar identification by gliadin electrophoregrams (Jones et al), 181
cultivar identification via standardized PAGE method (Lookhart et al), 178
determination of α-amylase in sprouted wheat (Mathewson et al), 108, 545
dough sheeting and molding property indicator (Kilborn and Preston), 171
durum; effect of smudge and blackpoint, mildewed kernels, and ergot in (Dexter and Matsuo), 63
durum; effect of sprout damage (Matsuo et al), 468
durum; effect of variety and location on presence of phytic acid in (Tabekhia and Donnelly), 105
durum; quality evaluation (Matsuo et al), 222
fiber; from cereals and brans, bile salt binding and water-holding capacity related to particle size (Mongeau and Brassard), 413
flours and starches; amylograph pasting ability of (Meredith and Pomeranz), 355
gelling capacity of pentosans (Ciacco and D'Appolonia), 163
gluten proteins; gel filtration of (Preston), 73
hardness; evaluation through energy measurements of milling process (Kilborn et al), 284
high temperature drying of spaghetti (Wyland and D'Appolonia), 199
methods to detect sprouting (D'Appolonia et al), 254
minerals and protein contents in (Dikeman et al), 139
NIR testing to determine temperature influence on protein and moisture estimation (Williams et al), 473
protein deposition during development (Bechtel et al), 336
proteins; gel electrophoresis, gel filtration, and carbon-13 NMR characterization and implications for structure and nature of interactions (Schofield and Baianu), 240
purification of specific gliadin component from cultivar Marquis (Howes and Kosmolak), 485
quantification of botanical constituents by autofluorescence (Jensen et al), 477
relationship to triticale grain shrivelling (Peña and Bates), 454
rheological properties of roll-cooked grits (Anderson), 265
small-scale milling to estimate milling quality of soft wheat cultivars and breeding lines (Yamazaki and Andrews), 270
soft; milling of (Yamazaki and Andrews), 41
sprouting effect on quality (Ciacco and D'Appolonia), 77
starch degradation in endosperms of (MacGregor and Matsuo), 210
Yeast
activity; antimicrobial and antimycotic agent effect on (Finney et al), 385
gas production of mung and garbanzo bean flours in wheat flour doughs (Finney et al), 520
Zein
purification by chromatography; additional size heterogeneity (Esen), 272
Zinc
binding by bran and bran components (Rendleman and Grobe), 310

CONTENTS

VOLUME 59, NUMBER 1 JANUARY-FEBRUARY 1982

iii Instructions to Authors

1 Decorticating Pearl Millet and Grain Sorghum in a Laboratory Abrasive Mill. *A. de Francisco, A. D. Shepherd, R. C. Hoseney,* and *E. Varriano-Marston*

5 Hardness of Pearl Millet and Grain Sorghum. *A. de Francisco, E. Varriano-Marston,* and *R. C. Hoseney*

9 Fungal Growth and Dry Matter Loss During Bin Storage of High-Moisture Corn. *L. M. Seitz, D. B. Sauer, H. E. Mohr,* and *D. F. Aldis*

14 Relation of Polar Lipid Content to Mixing Requirement and Loaf Volume Potential of Hard Red Winter Wheat Flour. *O. K. Chung, Y. Pomeranz,* and *K. F. Finney,*

20 Amino Acid Composition of Grain Dusts. *J. D. Hubbard, F. S. Lai, C. R. Martin, B. S. Miller,* and *Y. Pomeranz*

23 Microbiology of Cracker Sponge Fermentation. *M. L. Fields, R. C. Hoseney,* and *E. Varriano-Marston*

26 Comparison of Alpha-Amylase and Simple Sugar Levels in Sound and Germinated Durum Wheat During Pasta Processing and Spaghetti Cooking. *J. E. Kruger* and *R. R. Matsuo*

31 Effect of Seed Moisture Content on the Air Classification of Field Peas and Faba Beans. *R. T. Tyler* and *B. D. Panchuk*

34 Production of High-Protein Quality Pasta Products Using a Semolina/Corn/Soy Flour Mixture. III. Effect of Cooking on the Protein Nutritive Value of Pasta. *M. R. Molina, H. Gudiel, M. A. Baten,* and *R. Bressani*

37 Combined Effects of Sodium Chloride and Hydrochloric Acid on Wheat Flour Strength. *M. T. Bakhoum* and *J. G. Ponte, Jr.*

41 Experimental Milling of Soft Wheat Cultivars and Breeding Lines. *W. T. Yamazaki* and *L. C. Andrews*

46 Grinding Methods: Their Impact on Rice Flour Properties. *K. D. Nishita* and *M. M. Bean*

50 Milling Performance and Quality Characteristics of Starbonnet Variety Rice Fractionated by Rough Rice Kernel Thickness. *J. I. Wadsworth, J. Matthews,* and *J. J. Spadaro*

55 Surface Hydrophobicity of Gliadin Components. *Y. Popineau* and *B. Godon*

63 Effect of Smudge and Blackpoint, Mildewed Kernels, and Ergot on Durum Wheat Quality. *J. E. Dexter* and *R. R. Matsuo*

69 Determination of Ascorbic Acid in Wheat Flours, Bread Dough Conditioners, and Commercial Vitamin C Tablets by High-Performance Liquid Chromatography. *G. L. Lookhart, S. B. Hall,* and *K. F. Finney*

72 NOTE: Laboratory Dough Molder for Flat Breads. *G. L. Rubenthaler* and *H. A. Faridi*

73 NOTE: Gel Filtration of Wheat Gluten Proteins on Sephacryl S-300. *K. R. Preston*

VOLUME 59, NUMBER 2 MARCH-APRIL 1982

77 Reconstitution Studies with Sound and Sprouted Wheat Flour. *C. F. Ciacco* and *B. L. D'Appolonia*

81 Gelatinization of Wheat Starch. I. Excess-Water Systems. *K. Ghiasi, R. C. Hoseney,* and *E. Varriano-Marston*

86 Gelatinization of Wheat Starch. II. Starch-Surfactant Interaction. *K. Ghiasi, E. Varriano-Marston,* and *R. C. Hoseney*

89 Baking Properties of the Bran Fraction from Brewer's Spent Grains. *P. C. Dreese* and *R. C. Hoseney*

92 Sweetness-Structure Correlation in Carbohydrates. *J. R. Daniel* and *Roy L. Whistler*

96 Characterization of Pentosans from Different Wheat Flour Classes and of Their Gelling Capacity. *C. F. Ciacco* and *B. L. D'Appolonia*

100 Storage of High-Moisture Corn: Fungal Growth and Dry Matter Loss. *L. M. Seitz, D. B. Sauer,* and *H. E. Mohr*

105 Phytic Acid in Durum Wheat and Its Milled Products. *M. M. Tabekhia* and *B. J. Donnelly*

108 Results of Collaborative Testing Using a Simplified, Rapid Colorimetric Alpha-Amylase Assay for Evaluation of Sprouted Wheat. *P. R. Mathewson, C. H. Fahrenholz, G. D. Booth, Y. Pomeranz,* and *B. S. Miller*

113 Freeze-Fracture Ultrastructure of Wheat Flour Ingredients, Dough, and Bread. *B. Fretzdorff, D. B. Bechtel,* and *Y. Pomeranz*

121 Role of Free Flour Lipids in Batter Expansion in Layer Cakes. I. Effects of "Aging." *R. L. Clements* and *J. R. Donelson*

125 Role of Free Flour Lipids in Batter Expansion in Layer Cakes. II. Effects of Heating. *R. L. Clements* and *J. R. Donelson*

128 Effect of Sugars on Starch Gelatinization. *R. D. Spies* and *R. C. Hoseney*

132 Semiautomated in Vitro Analysis of Sorghum Protein Availability via Pronase Hydrolysis. *D. H. Hahn, J. M. Faubion, S. H. Ring, C. A. Doherty,* and *L. W. Rooney*

136 South Carolina Corn Yield Trial Samples as Probes for the Natural Occurrence of Aflatoxin in Preharvest Kernels. *E. B. Lillehoj, A. Manwiller, T. B. Whitaker,* and *M. S. Zuber*

139 Minerals and Protein Contents in Hard Red Winter Wheat. *E. Dikeman, Y. Pomeranz,* and *F. S. Lai*

142 Kinetics of Protein Quality Change in Egg Noodles Stored Under Constant and Fluctuating Temperatures. *T. P. Labuza, K. Bohnsack,* and *M. N. Kim*

149 NOTE: Technique for Objectively Measuring Relationship Between Flour Chlorination and Cake Crumb Stickiness. *C. S. Gaines*

151 NOTE: Alpha-Amylase Determination: Explanation for High Falling Numbers at Lower Bath Temperatures. *E. Varriano-Marston, R. C. Hoseney,* and *J. A. Dunaway*

152 NOTE: Evaluation of Density Segregation as a Means to Estimate the Degree of Aflatoxin Contamination of Corn. *W. E. Huff* and *W. M. Hagler*

154 NOTE: Distribution of Lipids in Embryo and Bran-Endosperm Fractions of Riso 1508 and Hiproly Barley Grains. *R. S. Bhatty*

156 NOTE: Applicability of the Colorimetric Alpha-Amylase Assay to Evaluate Sprouted Sorghum. *P. R. Mathewson, C. H. Fahrenholz,* and *Y. Pomeranz*

158 Errata

VOLUME 59, NUMBER 3 MAY-JUNE 1982

159 Lipids of the Major Histological Components of Rice Studied by ^{13}C Nuclear Magnetic Resonance Spectroscopy. *J. H. Bradbury* and *J. G. Collins*

163 Characterization and Gelling Capacity of Water-Soluble Pentosans Isolated from Different Mill Streams. *C. F. Ciacco* and *B. L. D'Appolonia*

167 Determination of Starch Gelatinization by X-Ray Diffractometry. *J. Owusu-Ansah, F. R. Van De Voort,* and *D. W. Stanley*

171 A Dough Sheeting and Molding Property Indicator. *R. H. Kilborn* and *K. R. Preston*

175 Prevention of Rancidity in Experimental Rat Diets for Long-Term Feeding. *K. Warner, G. N. Bookwalter, J. J. Rackis, D. H. Honig, E. Hockridge,* and *W. F. Kwolek*

178 An Improved Method for Standardizing Polyacrylamide Gel Electrophoresis of Wheat Gliadin Proteins. *G. L. Lookhart, B. L. Jones, S. B. Hall,* and *K. F. Finney*

181 Identification of Wheat Cultivars by Gliadin Electrophoresis: Electrophoregrams of the 88 Wheat Cultivars Most Commonly Grown in the United States in 1979. *B. L. Jones, G. L. Lookhart, S. B. Hall,* and *K. F. Finney*

189 Thermal Behavior of Cereals Studied by Heat Flow Calorimetry. *A. Raemy* and *J. Löliger*

192 Gel Filtration and Electrophoresis of Soluble Rice Proteins Extracted from Long, Medium, and Short Grain Varieties. *T. Iwasaki, N. Shibuya, T. Suzuki,* and *S. Chikubu*

196 Effects of Dough Mixing and Rheologically Active Compounds on Relative Viscosity of Wheat Proteins. *G. Danno* and *R. C. Hoseney*

199 Influence of Drying Temperature and Farina Blending on Spaghetti Quality. *A. R. Wyland* and *B. L. D'Appolonia*

202 Effect of Sodium Chloride and Sodium Dodecyl Sulfate on Mixograph Properties. *G. Danno* and *R. C. Hoseney*

205 Effect of Moisture, Temperature, and Storage Time on Subsequent Storability of Shelled Corn. *R. A. Perez, J. Tuite,* and *K. Baker*

210 Starch Degradation in Endosperms of Barley and Wheat Kernels During Initial Stages of Germination. *A. W. MacGregor* and *R. R. Matsuo*

216 Phytic Acid. III. Two Barriers to the Loss of Phytate During Breadmaking. *U. Tangkongchitr, P. A. Seib,* and *R. C. Hoseney*

222 Statistical Evaluation of Tests for Assessing Spaghetti-Making Quality of Durum Wheat. *R. R. Matsuo, J. E. Dexter, F. G. Kosmolak,* and *D. Leisle*

229 NOTE: Use of Unheated and Heat-Treated Navy Bean Hulls as a Source of Dietary Fiber in Spice-Flavored Layer Cakes. *C. DeFouw, M. E. Zabik, M. A. Uebersax, J. M. Aguilera,* and *E. Lusas*

231 NOTE: Purification of Beta-Glucanase for Beta-D-Glucan Assays. *N. Prentice*

232 NOTE: Comparison of Ion-Exchange and Iron Precipitation Methods for Analysis of Phytate. *R. Ellis* and *E. R. Morris*

234 NOTE: Modified Adhesion Test for Measuring Stickiness of Sorghum Porridges. *G. B. Cagampang, J. E. Griffith,* and *A. W. Kirleis*

236 COMMUNICATION TO THE EDITOR. *N. Colman*

236 Erratum

VOLUME 59, NUMBER 4 JULY-AUGUST 1982

237 Cake Batter Viscosity and Expansion upon Heating. *C. S. Gaines* and *J. R. Donelson*

240 Solid-State, Cross-Polarization Magic-Angle Spinning Carbon-13 Nuclear Magnetic Resonance and Biochemical Characterization of Wheat Proteins. *J. C. Schofield* and *I. C. Baianu*

245 Effects of Heat Treatment and Level of Navy Bean Hulls in Sugar-Snap Cookies. *C. DeFouw, M. E. Zabik, M. A. Uebersax, J. M. Aguilera,* and *E. Lusas*

249 Changes in Flour Proteins During Dough Mixing. *G. Danno* and *R. C. Hoseney*

254 Comparison of the Grain Amylase Analyzer with the Amylograph and Falling Number Methods. *B. L. D'Appolonia, L. A. MacArthur, W. Pisesookbunterng,* and *C. F. Ciacco*

258 Gelatinization of Wheat Starch. III. Comparison by Differential Scanning Calorimetry and Light Microscopy. *K. Ghiasi, R. C. Hoseney,* and *E. Varriano-Marston*

262 Gelatinization of Wheat Starch. IV. Amylograph Viscosity. *K. Ghiasi, E. Varriano-Marston,* and *R. C. Hoseney*

265 Water Absorption and Solubility and Amylograph Characteristics of Roll-Cooked Small Grain Products. *R. A. Anderson*

270 Small-Scale Milling to Estimate the Milling Quality of Soft Wheat Cultivars and Breeding Lines. *W. T. Yamazaki* and *L. C. Andrews*

272 Chromatography of Zein on Phosphocellulose and Sulfopropyl Sephadex. *E. Esen*

276 Effect of Nitrogen Fertilization on Quantity and Composition of Wheat Flour Protein. *G. J. Doekes* and *L. M. J. Wennekes*

279 Corn Tortillas: Evaluation of Corn Cooking Procedures. *M. N. Khan, M. C. DesRosiers, L. W. Rooney, R. G. Morgan,* and *V. E. Sweat*

284 Energy Consumption During Flour Milling: Description of Two Measuring Systems and the Influence of Wheat Hardness on Energy Requirements. *R. H. Kilborn, H. C. Black, J. E. Dexter,* and *D. G. Martin*

289 Predicting the Moisture Isotherm for Corn-Soy Milk from Individual Component Moisture Isotherms and Their Possible Effects on Storage Stability. *S. R. Eckhoff, L. T. Black,* and *R. A. Anderson*

291 Isomeric Ascorbic Acids and Derivatives of L-Ascorbic Acid: Their Effect on the Flow of Dough. *D. W. Lillard, P. A. Seib,* and *R. C. Hoseney*

296 Relationship of Protein Fractions of Spring Wheat Flour to Baking Quality. *A. S. Hamada, C. E. McDonald,* and *L. D. Sibbitt*

302 Cereal Complexes: Binding of Calcium by Bran and Components of Bran. *J. A. Rendleman*

310 Cereal Complexes: Binding of Zinc by Bran and Components of Bran. *J. A. Rendleman*

318 NOTE: A. Modification of the Crude Fiber Test for Application to Flour. *P. C. Williams* and *P. M. Starkey*

319 NOTE: Dry Roasted Navy Bean Flour Incorporation in a Quick Bread. *S. B. Dryer, S. G. Phillips, T. S. Powell, M. A. Uebersax,* and *M. E. Zabik*

320 COMMUNICATION TO THE EDITOR. Inactivation of Alpha-Amylase Activity by Purothionins. *B. L. Jones* and *P. Meredith*

VOLUME 59, NUMBER 5 SEPTEMBER-OCTOBER 1982

323 A Comparison of the Amino Acid Composition of Two Commercial Oat Groats. *C. G. Zarkadas*

328 Effects of Processing Conditions and Cooking Time on Riboflavin, Thiamine, and Niacin Levels in Enriched Spaghetti. *J. E. Dexter, R. R. Matsuo,* and *B. C. Morgan*

333 Use of Near-Infrared Reflectance Spectroscopy and Dye-Binding Techniques for Estimating Protein in Oat Groats. *R. Biston* and *G. Clamot*

336 Protein Secretion in Wheat Endosperm—Formation of the Matrix Protein. *D. B. Bechtel, R. L. Gaines,* and *Y. Pomeranz*

344 Effect of Germination on Electrophoretic, Functional, and Bread-Baking Properties of Yellow Pea, Lentil, and Faba Bean Protein Isolates. *D. L. Hsu, H. K. Leung, M. M. Morad, P. L. Finney,* and *C. T. Leung*

351 Amylolysis of Pearl Millet Starch and Its Fractions by Pearl Millet Alpha-Amylase. *S. Abdul-Hussain* and *E. Varriano-Marston*

355 Inherent Amylograph Pasting Ability of U.S. Wheat Flours and Starches. *P. Meredith* and *Y. Pomeranz*

361 Application of the Instron Tester for Investigation of Rheology of Corn Dough. *G. W. Padua* and *R. McL. Whitney*

367 *Chapaties* with Leavening and Supplements: Changes in Texture, Residual Sugars, and Phytic Phosphorus. *K. Swaranjeet, K. Maninder,* and *G. S. Bains*

373 Semiautomated Determination of Phytate in Sorghum and Sorghum Products. *C. Doherty, J. M. Faubion,* and *L. W. Rooney*

378 Contribution of Chlorinated Flour Fractions to Cake Crumb Stickiness. *C. S. Gaines* and *J. R. Donelson*

381 A Modified Extensigraph Procedure for Measuring the Stretching Properties of Fermented Dough. *R. H. Kilborn* and *K. R. Preston*

385 Effect of Type and Amount of Mixing and Quantity of Water on Inhibitors of Yeast Activity in Wheat Flour Doughs and Slurries. *K. F. Finney, O. K. Chung, B. L. Bruinsma,* and *M. D. Shogren*

389 Development of a Laboratory-Scale Single-Stage Cake Mix. *C. C. Lee, R. C. Hoseney,* and *E. Varriano-Marston*

392 Optimization of the Fat-Emulsifier System and the Gum-Egg White-Water System for a Laboratory-Scale Single-Stage Cake Mix. *C. C. Lee* and *R. C. Hoseney*

396 Effects of Dehulling on Functional Properties of Dry Bean (*Phaseolus vulgaris* L.) Flours. *S. S. Deshpande, S. K. Sathe, D. Cornforth,* and *D. K. Salunkhe*

402 A Gas Production Formula Containing Guar or Xanthan Gum in Place of Wheat Flour. *B. L. Bruinsma* and *K. F. Finney*

404 Influence of Dough Absorption Level and Time on Stickiness and Consistency in Sugar-Snap Cookie Doughs. *C. S. Gaines*

408 Protein Denaturation During Model Storage Studies of Soybeans and Meals. *K. Saio, K. Kobayakawa,* and *M. Kito*

413 Insoluble Dietary Fiber from Breakfast Cereals and Brans: Bile Salt Binding and Water-Holding Capacity in Relation to Particle Size. *R. Mongeau* and *R. Brassard*

418 Lipase Activity in Oat Flour Suspensions and Soluble Extracts. *G. J. Matlashewski, A. A. Urquhart, M. R. Sahasrabudhe,* and *I. Altosaar*

422 Effect of Partial Sodium Chloride Replacement by Other Salts on Wheat Dough Rheology and Breadmaking. *H. Salovaara*

427 Sensory Limitations to Replacement of Sodium with Potassium and Magnesium in Bread. *H. Salovaara*

430 Carbohydrates of Field Bean (*Dolichos lablab*). *P. V. Salimath* and *R. N. Tharanathan*

435 Effect of Alkali Treatment on Viscosity and on the Sulfhydryl and Disulfide Content of Proteins. *J. Gaucher-Choquette* and *M. Boulet*

440 In Vitro Interaction of 1-^{14}C-Ascorbic Acid and 2-^{14}C-Thiamin with Dietary Fiber. *S. T. Omaye, F. I. Chow,* and *A. A. Betschart*

444 NOTE: An Inexpensive Method for Treating Grain Dust to Prevent Fine Particles from Becoming Airborne During Handling. *F. S. Lai* and *B. S. Miller*

446 NOTE: The Use of Magnesium Powder in Fortified Bread. *G. S. Ranhotra* and *G. L. Winterringer*

VOLUME 59, NUMBER 6 NOVEMBER-DECEMBER 1982

449 Functional (Bread-Making) Properties of Wheat Protein Fractions Obtained by Ultracentrifugation. *K. F. Finney, B. L. Jones,* and *M. D. Shogren*

454 Grain Shrivelling in Secondary Hexaploid Triticale. I. Alpha-Amylase Activity and Carbohydrate Content of Mature and Developing Grains. *R. J. Peña* and *L. S. Bates*

459 Grain Shrivelling in Secondary Hexaploid Triticale. II. Morphology of Mature and Developing Grains Related to Grain Shrivelling. *R. J. Peña, P. Nagarajan,* and *L. S. Bates*

468 Effect of Sprout Damage on Durum Wheat and Spaghetti Quality. *R. R. Matsuo, J. E. Dexter,* and *A. W. MacGregor*

473 Influence of Temperature on Estimation of Protein and Moisture in Wheat by Near-Infrared Reflectance. *P. C. Williams, K. H. Norris,* and *W. S. Zarowski*

477 The Botanical Constituents of Wheat and Wheat Milling Fractions. I. Quantification by Autofluorescence. *SV. Å. Jensen, L. Munck,* and *H. Martens*

485 Purification and Characterization of a Specific Gliadin Component from the Wheat Cultivar Marquis. *N. K. Howes* and *F. G. Kosmolak*

488 High-Performance Aqueous Gel Permeation Chromatographic Analysis of Beta-Limit Dextrin Hydrolysis by Malted Hard Red Spring Wheat, Malted Durum Wheat, and Fungal (*Aspergillus oryzae*) Alpha-Amylases. *J. E. Kruger* and *B. A. Marchylo*

493 Digestibility of Complex Carbohydrates and Protein in Wheat Breads. *G. S. Ranhotra, J. A. Gelroth, F. A. Novak, M. A. Bock,* and *G. L. Winterringer*

496 Flour Chlorination. I. Chlorine Location and Quantitation in Air-Classified Fractions and Physicochemical Effects on Starch. *G. Huang, J. W. Finn,* and *E. Varriano-Marston*

500 Flour Chlorination. II. Effects on Water Binding. *G. Huang, J. W. Finn,* and *E. Varriano-Marston*

507 Influence of Ambient Temperature, Humidity, and Flour Moisture Content on Stickiness and Consistency in Sugar-Snap Cookie Doughs. *C. S. Gaines* and *W. F. Kwolek*

510 Near-Infrared Reflectance Estimates of Malt Extract. *C. F. McGuire*

512 Variation in Enzyme Digestibility and Gelatinization Behavior of Corn Starch Granule Fractions. *C. A. Knutson, U. Khoo, J. E. Cluskey,* and *G. E. Inglett*

516 Near-Infrared Reflectance for Analysis of Cottonseed for Gossypol. *G. S. Birth* and *H. H. Ramey, Jr.*

520 Effects of Germination on Bread-Baking Properties of Mung Bean (*Phaseolus aureus*) and Garbanzo Bean (*Cicer arietinum*). *P. L. Finney, D. Beguin,* and *J. D. Hubbard*

525 Structural Model for Ferric Phytate: Implications for Phytic Acid Analysis. *D. B. Thompson* and *J. W. Erdman, Jr.*

529 High-Temperature Short-Time Extrusion Cooking of Wheat Starch and Flour. I. Effect of Moisture and Flour Type on Extrudate Properties. *J. M. Faubion* and *R. C. Hoseney*

533 High-Temperature Short-Time Extrusion Cooking of Wheat Starch and Flour. II. Effect of Protein and Lipid on Extrudate Properties. *J. M. Faubion* and *R. C. Hoseney*

538 In Vitro Interaction of Rice Hemicellulose with Trace Minerals and Their Release by Digestive Enzymes. *R. R. Mod, R. L. Ory, N. M. Morris,* and *F. L. Normand*

543 NOTE: Comparison of Amylase Activity and Carbohydrate Profile in Germinating Seeds of *Seteria italica, Echinochloa frumentacea,* and *Panicum miliaceum. K. Parvathy* and *S. Sadasivam*

545 Erratum

546 Author Index, Volume 59

549 Subject Index, Volume 59

555 Contents Index, Volume 59